



# BUCKLEY AFB INCIDENT RESPONSE AID

## VIRUS/NETWORK ATTACK SYMPTOMS

- E-mail From Unfamiliar Source (Not Digitally Signed)
- Request To Provide, Reset, Or Change Password
- Notification Of Logon Attempts By Unknown User
- Unexplained Inability To Log On or Save Files
- Unfamiliar File Names or Error Messages
- Unexplained Modifications/Deletion Of Data or New Files
- Denial Of Service
- Sudden Lack Of Hard Drive Space
- Computer Continually Restarts
- Out-of-Memory Error Messages (In PC with sufficient RAM)

## VIRUS/NETWORK ATTACK RESPONSE

1. **STOP USING THE COMPUTER!**
2. **DISCONNECT THE NETWORK CABLE/DISABLE WIRELESS**
3. **DO NOT: POWER/LOG OFF, CLICK PROMPTS**
4. **DO NOT: CLOSE WINDOWS OR LEAVE THE COMPUTER**
5. **DO NOT: DELETE, PRINT OR FORWARD MESSAGE**
6. **Ensure no one uses the computer**
7. **Follow the instructions of your Unit CSL; write down all of the information regarding the incident**

## HOW TO RUN VIRUS SCANS ON YOUR PC / MEDIA

1. Plug in or insert the removable media if desired. (approved media only!)
2. Click the Start button on the desktop select "Computer"
3. A list of storage devices will appear
4. Select the device to scan for viruses or "Computer"
5. A "Scan for threats" window will appear select "Clean"
6. Allow the scan to complete  
If viruses were detected, immediately contact your Unit CSLs in the order provided below

## SUSPICIOUS EMAIL OR SPAM

If you receive any suspicious email (to include phishing attempts or spam) , do not open any attachments or go to any links, simply right-click the message in the Inbox and select Junk E-mail, select Add Sender to Blocked Sender List. If multiple people receive the same spam, contact the Unit CSLs in the order provided below.

## POINTS OF CONTACT

1. UNIT SECURITY MANAGER: (USM or SM)	USM PHONE 847-
2. UNIT CYBERSECURITY LIAISON (CSL) PRIMARY: ALTERNATE:	CSL PHONE 847-
3. HELP DESK Communications Focal Point	HELP DESK PHONE 847-2666 (Unclassified) 847-5717 (Secure)
4. WING INFORMATION PROTECTION (IP)	WING IP PHONE 847-5086 (Unclassified)
5. WING CYBERSECURITY (WCOS)	WCOS PHONE 847-5023 (Unclassified) 847-5016 (Secure)

# BUCKLEY AFB INCIDENT RESPONSE AID

## CMI OVERVIEW

A **Classified Message Incident (CMI)**: A type of data spillage involving classified information on a system that is not authorized to contain that level of classification transferred via message.

## CMI RESPONSE FOR USERS

- ALL PERSONNEL** involved in the security incident will **REMAIN AVAILABLE** until cleared by the CFP
1. **STOP USING THE COMPUTER!**
  2. **DISCONNECT NETWORK CABLE/DISABLE WIRELESS**
  3. **DO NOT: POWER OR LOG OFF, CLICK PROMPTS, CLOSE WINDOWS OR LEAVE THE COMPUTER**
  4. **DO NOT: DELETE, PRINT OR FORWARD MESSAGE**
  5. **DO NOT LEAVE THE COMPUTER UNATTENDED.** The person protecting the computer should be cleared to the level of the message
  6. **REPORT IT IMMEDIATELY.** Immediately contact your Unit CSLs and Security Managers in the order provided on the flip side of this card. **User may only report the following statement via non-secure means.** "I'd like to report a possible CMI, please report to <insert your location> immediately." Do not provide details of the incident **UNTIL THE AREA IS SECURED AND YOU ARE ON A SECURE LINE**
  7. **Isolate all external media used (disks, CDs, etc.)**
  8. **VALIDATE-**The Unit Security Manager will determine whether a "potential" CMI or spillage has occurred. **The Unit CSL will report the INCIDENT IMMEDIATELY by SECURE telephone or in person** to the 460 SCS/SCOS (CFP) or Wing Cybersecurity and await further instructions. **The CSL and Security Manager have 30 minutes to fill out Unit CMI Initial Discovery Checklist**
  9. **Treat information regarding the CMI at the same level of classification as the CMI**

## PERSONALLY IDENTIFIABLE INFORMATION BREACH AND INCIDENT OVERVIEW

**Personally Identifiable Information (PII)**: Information about an individual that identifies, links, relates, or is unique to, or describes him or her.

**PII Breach**: PII is sent to a non-DOD e-mail address and/or personnel who do not have a need to know

**PII Incident**: PII sent unencrypted to DOD e-mail addresses and to intended recipients with a need-to-know

## PII BREACH AND INCIDENT PROCEDURES

1. Identify the information as PII
2. Verify the information was sent to a non-DoD e-mail address or to personnel who did not have a need to know
3. Immediately attempt to safeguard the information by recalling the message
4. Contact all recipients and inform them not to forward the message or allow other to view.
5. **Contact the base PII Manager at 720-847-5640 or [460SW.FOIA@buckley.af.mil](mailto:460SW.FOIA@buckley.af.mil), provide them all information**

## SPACE REQUIRED BETWEEN UNCLASSIFIED/CLASSIFIED ON BASE

Device/Equipment Type	Distance	Distance in inches/feet
NIPRNet Equipment	0.5 meters	20 inches
Cell Phones	3 meters	Approximately 10 feet
LMR Hand-Held Radios	2 meters	Approximately 6.5 feet
Base Station LMRs	2 meters	Approximately 6.5 feet
Radio Transceivers	3 meters	Approximately 10 feet





2009-354-119



STANDARD FORM 710 (1-87)  
Prescribed by GSA/ISOO  
32 CFR 2003

NSN 7540-01-207-5539  
710-102

Place UNCLASSIFIED stickers on all NIPRNet computers, printers, scanners, fax machines, gov cell phones, hard/flash drives, and monitors when monitors are located in a mixed NIPRNet and SIPRNet environment.

Obtain all stickers by contacting 460 SCS @ 847-5221



Place **SECRET** stickers on all SIPRNet computers, printers, scanners, hard/flash drives, and monitors when monitors are located in a mixed NIPRNet and SIPRNet environment.

Obtain all stickers by contacting 460 SCS @ 847-5221

<p>This medium is classified</p> <p><b>CONFIDENTIAL</b></p> <p>U.S. Government Property</p> <p>Protect it from unauthorized disclosure in compliance with applicable executive orders, statutes, and regulations.</p> <p>SF 708 (1-87)</p>	<p>This medium is classified</p> <p><b>CONFIDENTIAL</b></p> <p>U.S. Government Property</p> <p>Protect it from unauthorized disclosure in compliance with applicable executive orders, statutes, and regulations.</p> <p>SF 708 (1-87)</p>
<p>This medium is classified</p> <p><b>CONFIDENTIAL</b></p> <p>U.S. Government Property</p> <p>Protect it from unauthorized disclosure in compliance with applicable executive orders, statutes, and regulations.</p> <p>SF 708 (1-87)</p>	<p>This medium is classified</p> <p><b>CONFIDENTIAL</b></p> <p>U.S. Government Property</p> <p>Protect it from unauthorized disclosure in compliance with applicable executive orders, statutes, and regulations.</p> <p>SF 708 (1-87)</p>
<p>This medium is classified</p> <p><b>CONFIDENTIAL</b></p> <p>U.S. Government Property</p> <p>Protect it from unauthorized disclosure in compliance with applicable executive orders, statutes, and regulations.</p> <p>SF 708 (1-87)</p>	<p>This medium is classified</p> <p><b>CONFIDENTIAL</b></p> <p>U.S. Government Property</p> <p>Protect it from unauthorized disclosure in compliance with applicable executive orders, statutes, and regulations.</p> <p>SF 708 (1-87)</p>

Place CONFIDENTIAL stickers on all confidential items. Contact your Security Manager for proper guidance.

Obtain all stickers by contacting 460 SCS @ 847-5221

PRIVACY ACT COVER SHEET

**PRIVACY**

**ACT**

**INFORMATION**

**THIS INFORMATION IS SUBJECT TO THE PRIVACY ACT OF 1974**

# SECRET

THIS IS A COVER SHEET

FOR CLASSIFIED INFORMATION

ALL INDIVIDUALS HANDLING THIS INFORMATION ARE REQUIRED TO PROTECT IT FROM UNAUTHORIZED DISCLOSURE IN THE INTEREST OF THE NATIONAL SECURITY OF THE UNITED STATES.

HANDLING, STORAGE, REPRODUCTION AND DISPOSITION OF THE ATTACHED DOCUMENT MUST BE IN ACCORDANCE WITH APPLICABLE EXECUTIVE ORDER(S), STATUTE(S) AND AGENCY IMPLEMENTING REGULATIONS.

(This cover sheet is unclassified.)



# SECRET

704-101  
NSN 7540-01-213-7902

STANDARD FORM 704 (8-85)  
Prescribed by GSA/ISOO  
32 CFR 2003

# **CONFIDENTIAL**

**THIS IS A COVER SHEET**

**FOR CLASSIFIED INFORMATION**

**ALL INDIVIDUALS HANDLING THIS INFORMATION ARE REQUIRED TO PROTECT IT FROM UNAUTHORIZED DISCLOSURE IN THE INTEREST OF THE NATIONAL SECURITY OF THE UNITED STATES.**

**HANDLING, STORAGE, REPRODUCTION AND DISPOSITION OF THE ATTACHED DOCUMENT MUST BE IN ACCORDANCE WITH APPLICABLE EXECUTIVE ORDER(S), STATUTE(S) AND AGENCY IMPLEMENTING REGULATIONS.**

**(This cover sheet is unclassified.)**

# **CONFIDENTIAL**





Place on all NSA/CSS EPL authorized shredders.

**THIS SHREDDER IS  
AUTHORIZED FOR  
DESTRUCTION OF  
CLASSIFIED  
INFORMATION**

**Contact your Security Manager if you have any questions**

**By order of the 460 SW/CC:**

**100% SHRED  
POLICY IS IN  
EFFECT**

**Federal Regulations Title 40 Part 246.200-1 recycling requirements**

**Contact your OPSEC coordinator if you have any questions**

**Place on all NSA/CSS EPL authorized shredders.**

**NSA/CSS EVALUATED PRODUCTS LIST  
for  
HIGH SECURITY CROSSCUT PAPER SHREDDERS**

The Evaluated Products List (EPL) contains high security destruction devices evaluated by the National Security Agency/Central Security Service (NSA/CSS) that meet the performance requirements of NSA/CSS High Security Crosscut Paper Shredder Specifications. The table on page two identifies High Security Crosscut Combination Optical and Paper Shredders; additional tables are High Security Crosscut Paper Shredders only. Inclusion of a product in the EPL is not an endorsement by NSA/CSS or the U.S. Government.

The EPL shows the shredder device name, model number, and contact data for sponsor of each device evaluated for sanitization of all classification levels. It also lists the shredder feed throat width and quantity of paper reams shredded in one-hour durability test. All tests were performed using uncoated, sheet cut (8.5 x 11 inch) twenty (20) pound weight copy paper, 500 sheets per ream. All evaluations were performed with oil unless specified without oil in the remarks section.

This EPL captures all High Security Crosscut Paper Shredders evaluated to the NSA/CSS Specification since August 2002. All approved models that are discontinued and/or no longer manufactured are still valid and will remain on the EPL. Updates to the EPL will be on an as-needed basis. Users are encouraged to contact the manufacturer representatives for assistance in selecting the best unit suited to their requirements. If a user has questions about a specific model not listed on the EPL, they can contact the Center for Storage Device Sanitization Research (CSDSR) at 301-688-1053, e-mail: [CSDSR@nsa.gov](mailto:CSDSR@nsa.gov), or contact their respective Client Advocate Service.

The NSA/CSS PM 9-12 Storage Device Sanitization Manual provides sanitization guidance for all classified storage devices. Approved high security crosscut paper shredders must reduce paper documents to shards measuring five millimeters square or less in area (one millimeter by five millimeter is the most common particle size).

The procedures for administration and distribution of the EPL are subject to change without notice. Inquiries from U.S. Government users should contact designated customer support channels through the NSA/CSS Information Assurance Directorate (IAD) Client Advocate Services. For IAD Client Advocate support to Civil and DoD Agencies, please call 1-410-854-4790 and for Military Services, Intelligence, and Combatant Commands please call 1-410-854-4200. If you prefer to send an e-mail, please contact us at [NIASC@nsa.gov](mailto:NIASC@nsa.gov). For all other inquiries, please contact the NSA/CSS Public Affairs Office via phone at 301-688-6524 or send an e-mail to [nsapao@nsa.gov](mailto:nsapao@nsa.gov).

COMBINATION OPTICAL & PAPER SHREDDERS					
Device Name	Model	Sponsor	Acceptable Media*	Rate (discs/hr)	One Hour Durability Test
Capital Shredder	K-16 Destroyer	Capital Shredder Corp.	CDs DVDs Paper	1,465	Sheet Capacity: 6 Total Reams: 10 Feed Opening: 9.5"
Capital Shredder	SS-16D	Capital Shredder Corp.	CDs DVDs Paper	2000	Sheet Capacity: 8 Total Reams: 19 Feed Opening: 10.25"
Dynamo	672 Formerly: 662 HSAL DUAL	New Market Enterprises	CDs DVDs Paper	2000	Sheet Capacity: 9 Total Reams: 10 Feed Opening: 10.25"
Formax	FD8730HS	Formax	CDs DVDs Paper	2000	Sheet Capacity: 8 Total Reams: 19 Feed Opening: 10.25"
HSM	SecurioP36(1x5mm) OMDD COMBO Formerly: Securio P36L6-OMDD COMBO	HSM of America, LLC	CDs DVDs Paper	2,000	Sheet Capacity: 7 Total Reams: 15 Feed Opening: 13"
Kobra	400HS6 Combi	Marquis Business Systems	CDs DVDs Paper	1,465	Sheet Capacity: 6 Total Reams: 10 Feed Opening: 9.5"
ProSource	AB950OMP	ProSource Packaging, Inc.	CDs DVDs Paper	1,465	Sheet Capacity: 6 Total Reams: 10 Feed Opening: 9.5"
Datastroyer	DCS 36/6	Whitaker Brothers Business Machines, Inc.	CDs DVDs Paper	2000	Sheet Capacity: 7 Total Reams: 15 Feed Opening: 13"

REFERENCE CHART FOR CONVERSION
0.8 millimeter = <b>1/32</b> inch (0.03125 inch)
<b>1.0</b> millimeter = 5/128 inch (0.03906 inch)
4.8 millimeter = <b>3/16</b> inch (0.18750 inch)
<b>5.0</b> millimeter = 25/128 inch (0.19531 inch)
12.7 millimeter = <b>1/2</b> inch (0.50000 inch)

SPONSOR: ACCO BRANDS USA LLC.					
This distributor is no longer authorized to distribute these products as of 1 MAY 2013.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
GBC	3890D	3	9 Inches	Total Reams 5	Approved if acquired before 5/1/2013
Rexel	1250-S6	3	10.5 Inches	Total Reams 9	Approved if acquired before 5/1/2013
	2250-S6	5	12 Inches	Total Reams 11	Approved if acquired before 5/1/2013
	3150-S6	4	16 Inches	Total Reams 11	Approved if acquired before 5/1/2013
	4550-S6	8	16 Inches	Total Reams 15	Approved if acquired before 5/1/2013
Swingline	CHS10-30	3	9 Inches	Total Reams 5	Approved if acquired before 5/1/2013

SPONSOR: ADAMS MARKETING ASSOCIATES					
"Out of Business"					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
HSM	125.2HS L 6	3	10.5 Inches	Total Reams 9	Formerly: AMA 125HS6 AMA 125.2HS Level 6
	225.2HS L 6	5	12 Inches	Total Reams 11	Formerly: AMA 225HS6 AMA 225.2HS Level 6
	390.2HS L 6	4	16 Inches	Total Reams 11	Formerly: AMA 390HS6 AMA 390.2HS Level 6
	411.2HS L 6	10	15.8 Inches	Total Reams 25	Formerly: AMA 411HS6 AMA 411.2HS Level 6

SPONSOR: CAPITAL SHREDDER CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Capital Shredder	K-9	3	9.5 Inches	Total Reams 4	
	K-10	4	10.25 Inches	Total Reams 8	
	K-10E	3	10.25 Inches	Total Reams 4	
	K-10TS	3	9.5 Inches	Total Reams 4	

SPONSOR: CAPITAL SHREDDER CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Capital Shredder	K-11TS	3	10.25 Inches	Total Reams 4	
	K-12	4	12 Inches	Total Reams 8	
	K-12TS	4	12 Inches	Total Reams 8	
	K-16	8	16 Inches	Total Reams 17	
	K-16 Destroyer	6	9.5 Inches	Total Reams 10	Optical destruction rate located on first table
	M-9	3	9 Inches	Total Reams 4	
	M-9D	3	9 Inches	Total Reams 4	
	M-10	3	10 Inches	Total Reams 10	
	M-10CT	3	10.25 Inches	Total Reams 7	
	M-10T	3	10.25 Inches	Total Reams 7	
	M-11CT	5	10.25 Inches	Total Reams 11	
	M-11T	5	10.25 Inches	Total Reams 11	
	M-12	4	12 Inches	Total Reams 10	
	M-16	5	16 Inches	Total Reams 11	
	M-16 HC	8	16 Inches	Total Reams 15	
	M-16 TS	8	16 Inches	Total Reams 15	
	SS-9	3	9.5 Inches	Total Reams 6	
	SS-10	5	12 Inches	Total Reams 10	Effective: 9/20/2011
	SS-16	4	16 Inches	Total Reams 10	
	SS-16D	8	16 Inches	Total Reams 18	Optical destruction rate located on first table
SS-16HC	8	10.25 Inches	Total Reams 19		

SPONSOR: CAPITAL SHREDDER CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Capital Shredder	T-12	6	11.75 Inches	Total Reams 18	No oil required
	T-12AF	9	11.75 Inches	Total Reams 20	No oil required Auto feeder option not approved

SPONSOR: CLARY BUSINESS MACHINES CO.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Clary	1200D	3	10.5 Inches	Total Reams 9	
	2200D	5	12 Inches	Total Reams 11	
	3900D	4	16 Inches	Total Reams 11	
	4100D	10	15.8 Inches	Total Reams 25	Effective: 6/1/2010

SPONSOR: CUMMINS-ALLISON CORP.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Cummins-Allison	539	3	9.5 Inches	Total Reams 4	
	549	5	12 Inches	Total Reams 11	
	559	4	16 Inches	Total Reams 11	
	569	10	15.8 Inches	Total Reams 25	Effective: 6/1/2010

SPONSOR: DAHLE NORTH AMERICA, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Dahle	20394	8	16 Inches	Total Reams 15	
	20434 DS	3	9 Inches	Total Reams 4	
	20434 DXC	3	9 Inches	Total Reams 4	
	20634 EC	3	10 Inches	Total Reams 10	
	20834 EC	8	16 Inches	Total Reams 15	
	20835 EC	5	16 Inches	Total Reams 11	
	30434	4	12 Inches	Total Reams 10	
	33134	4	12 Inches	Total Reams 10	
	40334	3	10.25 Inches	Total Reams 7	
	40434	5	10.25 Inches	Total Reams 11	
	40534	5	12.063 Inches	Total Reams 11	Effective: 9/17/2013
	41334	3	10.25 Inches	Total Reams 7	
	41434	5	10.25 Inches	Total Reams 11	
Niche	204	3	9 Inches	Total Reams 4	
	206	3	10 Inches	Total Reams 10	
	208	5	16 Inches	Total Reams 11	
	209	8	16 Inches	Total Reams 15	

SPONSOR: FELLOWES BUSINESS MACHINES					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Fellowes	C-320HS	3	10.5 Inches	Total Reams 9	Formerly: 320-2 HS
	C-420HS	5	12 Inches	Total Reams 11	Formerly: 420-2 HS
	C-480HS	4	16 Inches	Total Reams 11	Formerly: 480-2 HS
	HS-400	3	9 Inches	Total Reams 4	
	HS-800	8	16 Inches	Total Reams 15	
Fellowes Powershred	300HS	3	9 Inches	Total Reams 5	
	700HS	7	10.25 Inches	Total Reams 15	
	1000HS	10	11.75 Inches	Total Reams 21	
	HS-440	3	9 Inches	Total Reams 5	
	HS-660	6	10.25 Inches	Total Reams 15	
	HS-880	6	15.25 Inches	Total Reams 14	
	HS-1010	10	11.75 Inches	Total Reams 28	Effective: 8/17/2011

SPONSOR: FORMAX					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Formax	FD8300HS	3	9.5 Inches	Total Reams 6	
	FD8400HS	5	12 Inches	Total Reams 10	Effective: 9/20/2011
	FD8500HS	4	16 Inches	Total Reams 10	
	FD8650HS	8	16 Inches	Total Reams 18	
	FD8730HS	8	10.25 Inches	Total Reams 19	Optical destruction rate located on first table

SPONSOR: HSM OF AMERICA, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Ativa	260 HS	3	10.5 Inches	Total Reams 9	
	270 HS	5	12 Inches	Total Reams 11	
	391 HS	4	16 Inches	Total Reams 11	
	401 HS	10	15.8 Inches	Total Reams 25	Effective: 6/1/2010
Primo	2600 HS Level 6	3	10.5 Inches	Total Reams 9	Formerly: Geha Primo
	2700 HS Level 6	5	12 Inches	Total Reams 11	Formerly: Geha Primo
	3900 HS Level 6	4	16 Inches	Total Reams 11	Formerly: Geha Primo
	4001 HS Level 6	10	15.8 Inches	Total Reams 25	Formerly: Geha Primo Effective: 6/1/2010
HSM	125.2HS (1x5mm)	3	10.5 Inches	Total Reams 9	Formerly: 125.2HS Level 6
	125.2HS (1x5mm) FD	3	10.5 Inches	Total Reams 9	Formerly: 125.2HS L6 FD
	225.2HS (1x5mm)	5	12 Inches	Total Reams 11	Formerly: 225.2HS Level 6
	390.3HS (1x5mm)	4	16 Inches	Total Reams 11	Formerly: 390.3HS Level 6 Formerly: 390.2HS Level 6
	411.2HS (1x5mm)	10	15.8 Inches	Total Reams 25	Formerly: 411.2HS Level 6 Effective: 6/1/2010
	Securio B24(1x5mm)	3	9.5 Inches	Total Reams 5	Formerly: Securio B24L6
	Securio B34(1x5mm)	5	12.2 Inches	Total Reams 8	Formerly: Securio B34L6
	Securio P36(1x5mm)	7	13 Inches	Total Reams 15	Formerly: Securio P36L6
	Securio P36(1x5mm) OMDD COMBO	7	13 Inches	Total Reams 15	Formerly: Securio P36L6- OMDD COMBO Optical destruction rate located on first table

SPONSOR: INTIMUS INTERNATIONAL					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Intimus	45CC6	4	10.25 Inches	Total Reams 9	
	60CC6	4	10.25 Inches	Total Reams 9	
	90CC6	4	10.25 Inches	Total Reams 9	
	120CC6	6	12.25 Inches	Total Reams 17	
	175CC6	11	16 Inches	Total Reams 29	

SPONSOR: MARQUIS BUSINESS SYSTEMS, L.L.C.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Kobra	240 HS6	3	9.5 Inches	Total Reams 4	
	260 HS6	3	10.25 Inches	Total Reams 4	
	260HS2/6	4	10.25 Inches	Total Reams 8	
	260 TS HS-6	3	9.5 Inches	Total Reams 4	
	270 TS HS-6	3	10.25 Inches	Total Reams 4	
	300 HS6	4	12 Inches	Total Reams 8	
	310 TS HS-6	4	12 Inches	Total Reams 8	
	400 HS6	8	16 Inches	Total Reams 17	
	400 HS6 Combi	6	9.5 Inches	Total Reams 10	Optical destruction rate located on first table

SPONSOR: MS SECURESHRED, INC. "Out of Business"					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Meiko Shokai	ID431MC	6	11.75 Inches	Total Reams 18	Approved if acquired before 5/1/2013 No oil required
	ID431MC-FK	9	11.75 Inches	Total Reams 20	Approved if acquired before 5/1/2013 No oil required Auto feeder option not approved

SPONSOR: NEW MARKET ENTERPRISES, LTD.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Dynamo	171	3	9.5 Inches	Total Reams 6	Formerly: 160HS Formerly: 160 Level 6
	172	4	10 Inches	Total Reams 8	Formerly: 160+ Effective: 7/12/2012
	271	3	10.25 Inches	Total Reams 5	Formerly: 260HS Formerly: 260 Level 6
	371	5	11.25 Inches	Total Reams 8	Formerly: 360HS Formerly: 360 Level 6
	471	8	12.25 Inches	Total Reams 11	Formerly: 460HS Formerly: 460 Level 6
	571	8	16.125 Inches	Total Reams 11	Formerly: 560HS Formerly: 560 Level 6
	672	9	10.25 Inches	Total Reams 10	Optical destruction rate located on first table Formerly: 662 HSAL DUAL

SPONSOR: OLYMPIA BUSINESS SYSTEMS, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Olympia	1300.1C	3	9.5 Inches	Total Reams 8	
	D1300.1C Deployment Shredder	3	9.25 Inches	Total Reams 8	
	1500.1C	5	10.25 Inches	Total Reams 15	
	D1500.1C Deployment Shredder	5	10.25 Inches	Total Reams 15	
	1650.1C	5	16 Inches	Total Reams 11	

<b>SPONSOR: OLYMPIA BUSINESS SYSTEMS, INC.</b>					
<b>Device Name</b>	<b>Model</b>	<b>Sheet Capacity</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>	<b>Remarks</b>
<b>Olympia</b>	<b>1702.1C</b>	<b>8</b>	<b>16 Inches</b>	<b>Total Reams 19</b>	
	<b>1750.1C</b>	<b>8</b>	<b>9.25 Inches</b>	<b>Total Reams 23</b>	
	<b>1800.1C</b>	<b>8</b>	<b>12 Inches</b>	<b>Total Reams 15</b>	

<b>SPONSOR: PROSOURCE PACKAGING, INC.</b>					
<b>Device Name</b>	<b>Model</b>	<b>Sheet Capacity</b>	<b>Feed Opening</b>	<b>One Hour Durability Test</b>	<b>Remarks</b>
<b>ProSource</b>	<b>AB 120</b>	<b>4</b>	<b>12 Inches</b>	<b>Total Reams 8</b>	
	<b>AB 125</b>	<b>4</b>	<b>12 Inches</b>	<b>Total Reams 8</b>	
	<b>AB 160</b>	<b>8</b>	<b>16 Inches</b>	<b>Total Reams 17</b>	
	<b>AABES Pro 45CC6</b>	<b>4</b>	<b>10.25 Inches</b>	<b>Total Reams 9</b>	
	<b>AABES Pro 60CC6</b>	<b>4</b>	<b>10.25 Inches</b>	<b>Total Reams 9</b>	
	<b>AABES Pro 90CC6</b>	<b>4</b>	<b>10.25 Inches</b>	<b>Total Reams 9</b>	
	<b>AABES Pro 120CC6</b>	<b>6</b>	<b>12.25 Inches</b>	<b>Total Reams 17</b>	
	<b>AABES Pro 175 CC6</b>	<b>11</b>	<b>16 Inches</b>	<b>Total Reams 29</b>	
	<b>AABES Pro 1300.1C</b>	<b>3</b>	<b>9.25 Inches</b>	<b>Total Reams 8</b>	
	<b>AABES Pro 1300.1C Deployment Shredder</b>	<b>3</b>	<b>9.25 Inches</b>	<b>Total Reams 8</b>	
	<b>AABES Pro 1500.1C</b>	<b>5</b>	<b>10.25 Inches</b>	<b>Total Reams 15</b>	
	<b>AABES Pro 1500.1C Deployment Shredder</b>	<b>5</b>	<b>10.25 Inches</b>	<b>Total Reams 15</b>	
	<b>AABES 20394</b>	<b>8</b>	<b>16 Inches</b>	<b>Total Reams 15</b>	
	<b>AABES 40334</b>	<b>3</b>	<b>10.25 Inches</b>	<b>Total Reams 7</b>	
	<b>AABES 40434</b>	<b>5</b>	<b>10.25 Inches</b>	<b>Total Reams 11</b>	

SPONSOR: PROSOURCE PACKAGING, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
ProSource	AABES 41334	3	10.25 Inches	Total Reams 7	
	AABES 41434	5	10.25 Inches	Total Reams 11	
	AB90	3	9.5 Inches	Total Reams 4	
	AB95	3	9.5 Inches	Total Reams 4	
	AB102	3	9.5 Inches	Total Reams 4	
	AB102M	4	10.25 Inches	Total Reams 8	
	AB105	3	10.25 Inches	Total Reams 4	
	AB9500MP	6	9.5 Inches	Total Reams 10	Optical destruction rate located on first table

SPONSOR: SECURITY ENGINEERED MACHINERY					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
SEM	126C/2	3	10.5 Inches	Total Reams 9	
	226C/2	5	12 Inches	Total Reams 11	
	244/3	4	10.25 Inches	Total Reams 8	
	244/4	8	10.25 Inches	Total Reams 17	Effective: 11/17/2008
	266/3	8	12.5 Inches	Total Reams 21	Formerly: 266
	266/4	10	11.75 Inches	Total Reams 28	Effective: 8/17/2011
	344	5	10.25 Inches	Total Reams 12	Effective: 5/9/2012
	391C/2	4	16 Inches	Total Reams 11	
	412C/2	10	15.8 Inches	Total Reams 25	Formerly: 455/2
	1201CC	6	11.75 Inches	Total Reams 18	No oil required

SPONSOR: SECURITY ENGINEERED MACHINERY					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
SEM	1201CCAF	9	11.75 Inches	Total Reams 20	No oil required Auto feeder option not approved
	1324C/3	3	9 Inches	Total Reams 5	Formerly: 1124C/3
	2226CC/3	6	10.25 Inches	Total Reams 15	Formerly: 2226CC
	3140C/3	4	16 Inches	Total Reams 11	Effective: 8/1/2007
	4140C/4	6	15.25 Inches	Total Reams 14	
	5140C/4	10	16 Inches	Total Reams 24	Effective: 5/9/2012 Formerly: 5140C/3

SPONSOR: STAPLES TECHNOLOGY SOLUTIONS					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
HSM	525L6	3	10.5 Inches	Total Reams 9	Formerly:Maxguard/ICGS
	535L6	5	12 Inches	Total Reams 11	Formerly:Maxguard/ICGS
	590L6	4	16 Inches	Total Reams 11	Formerly:Maxguard/ICGS
	611L6	10	15.8 Inches	Total Reams 25	Formerly:Maxguard/ICGS

SPONSOR: WHITAKER BROTHERS BUSINESS MACHINES, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Datastroyer	202SF	4	10.25 Inches	Total Reams 9	
	302SF	4	10.25 Inches	Total Reams 9	Formerly: Intimus 302SF
	402SF	4	10.25 Inches	Total Reams 9	
	502SF	6	12.25 Inches	Total Reams 17	Formerly: Intimus 502SF

SPONSOR: WHITAKER BROTHERS BUSINESS MACHINES, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Datastroyer	702SF	11	16 Inches	Total Reams 29	Formerly: Intimus 702SF
	1010 MS	3	10.5 Inches	Total Reams 9	
	1215 MS	5	12 Inches	Total Reams 11	
	1615 MS	4	16 Inches	Total Reams 11	
	1628 MS	10	15.8 Inches	Total Reams 25	
	DCS 36/6	7	13 Inches	Total Reams 15	Optical destruction rate located on first table
	DS-3 Deployment Shredder	3	9 Inches	Total Reams 5	
	DS-4 Deployment Shredder	3	9 Inches	Total Reams 5	
	DS-5 Deployment Shredder	6	10.25 Inches	Total Reams 15	
	DS-6 Deployment Shredder	6	10.25 Inches	Total Reams 15	
	DS-7 Deployment Shredder	10	12 Inches	Total Reams 26	
Destroyit	2360 SMC	3	9 Inches	Total Reams 5	Formerly: 2350 SMC
	2600 SMC	5	10.25 Inches	Total Reams 11	
	2600/2 SMC	6	10.25 Inches	Total Reams 15	
	2603/2 SMC	6	10.25 Inches	Total Reams 15	Formerly: 2603 SMC Formerly: 2602 SMC
	2604 SMC	6	10.25 Inches	Total Reams 15	
	2605 SMC	8	10.25 Inches	Total Reams 17	
	3105 SMC	10	11.75 Inches	Total Reams 28	
	3014 SMC	10	12.5 Inches	Total Reams 21	
	4002 SMC	5	16 Inches	Total Reams 14	
	4014/2 SMC	10	16 Inches	Total Reams 24	Formerly: 4014 SMC
Datastroyer	007SF	10	12 Inches	Total Reams 26	Formerly: Intimus 007SF

SPONSOR: WHITAKER BROTHERS BUSINESS MACHINES, INC.					
Device Name	Model	Sheet Capacity	Feed Opening	One Hour Durability Test	Remarks
Datastroyer	007SF Retro-fit	9	12 Inches	Total Reams 25	Formerly: Intimus 007SF Replacement head unit for models made prior 1/1/02
	0077SF	8	9.25 Inches	Total Reams 23	Formerly: Intimus 0077SF
	0077SL	8	12 Inches	Total Reams 15	Formerly: Intimus 0077SL
Intimus	602SF	5	16 Inches	Total Reams 11	

## SPONSOR CONTACT INFORMATION

---

**ACCO Brands USA LLC**  
Kemper Lakes Business Center  
Building 4 Four Corporate Drive  
Long Grove, Illinois 60047

Customer Service  
E-mail: [@acco.com](mailto:@acco.com)  
Tel: 1-800-723-4000

---

**Adams Marketing Associates** **“Out of Business”**  
~~306A Asheake Road~~  
~~Ashland VA 23005~~  
URL: ~~[www.adamsmarketing.com](http://www.adamsmarketing.com)~~  
GSA Contract#: **GS-02F-108AA**

Bonnie Whittaker, Vice President Government Sales  
E-mail: [Bonnie@adamsmarketing.com](mailto:Bonnie@adamsmarketing.com)  
Tel: ~~1-800-322-6082~~  
Fax: ~~1-804-752-6324~~

---

**Clary Business Machines Co.**  
6224 Ferris Square  
San Diego, CA 92121  
URL: [www.clarybusinessmachines.com](http://www.clarybusinessmachines.com)  
GSA Contract#: **GS-02F-0166V**

Kevin Wong, Internet Sales Manager  
E-mail: [kevin@claryco.com](mailto:kevin@claryco.com)  
Tel: 1-858-552-0290  
Fax: 858-552-8609

---

**Capital Shredder Corp.**  
5550 Wilkins Court  
Rockville, MD 20852  
URL: [www.papershredders.com](http://www.papershredders.com)  
GSA Contract#: **GS-25F-0024M**

Gregory V. DiGioia, President  
H. Kim Jones, CEO  
E-mail: [Info@papershredders.com](mailto:Info@papershredders.com)  
Tel: 1-301-770-3900  
Fax: 1-301-770-4286

---

**Cummins-Allison Corp.**  
15744 Crabbs Branch Way Suite 200  
Derwood, MD 20855  
URL: [www.GSAadvantage.gov](http://www.GSAadvantage.gov)  
GSA Contract#: **GS-02F-0129P**

David Pavlik, Branch Manager  
E-mail: [pavlikd@cumminsallison.com](mailto:pavlikd@cumminsallison.com)  
Tel: 1-240-386-0160  
Fax: 1-240-386-0163

---

**Dahle North America, Inc.**  
49 Vose Farm Road  
Peterborough, NH 03458  
URL: [www.dahle.com](http://www.dahle.com)  
GSA Contract#: **GS-02F-0112P**

Scott A. Prokop, Vice President  
E-mail: [sprokop@dahle.com](mailto:sprokop@dahle.com)  
Tel: 1-800-995-1379  
Fax: 1-603-924-1616

---

**Fellowes Business Machines**

1789 Norwood Avenue  
Itasca, IL 60143-1095  
URL: [www.fellowes.com](http://www.fellowes.com)

Mike Smith, National Sales Manager Government

E-mail: [MSmith@fellowes.com](mailto:MSmith@fellowes.com)  
Tel: 1-630-671-8461  
Fax: 1-630-893-1648

---

**Formax**

44 Venture Drive  
Dover, NH 03820  
URL: [www.formax.com](http://www.formax.com)  
GSA Contract#: **GS-02F-0209S**

Charles MacNeil, Vice President of Marketing

Email: [CMacNeil@Formax.com](mailto:CMacNeil@Formax.com)  
Tel: 1-800-232-5535 Ext. 31

---

**HSM of America, Inc.**

419 Boot Road  
Downingtown, PA 19335  
URL: [www.hsmofamerica.com](http://www.hsmofamerica.com)  
GSA Contract#: **GS-02F-0120P**

Marshall Eubanks, Senior Product Manager

mail: [marshall.eubanks@hsmofamerica.com](mailto:marshall.eubanks@hsmofamerica.com)  
Tel: 1-800-613-2110  
Fax: 1-484-237-2340

---

**Intimus International**

251 Wedcor Avenue  
Wabash, IN 46992  
URL: [www.intimus.us](http://www.intimus.us)

Peter Dempsey, Vice President, Sales and Marketing

E-mail: [peter.dempsey@intimus.com](mailto:peter.dempsey@intimus.com)  
Tel: 1-800-775-2122  
Fax: 1-844-563-7720

---

**MS SecureShred, Inc.**

46571 Fremont Blvd.  
Fremont, CA 94538  
URL: [www.mssecureshred.com](http://www.mssecureshred.com)

**“Out of Business”**

~~Gordon Woo~~ \*\*\* **New Representative is SEM** \*\*\*

E-mail: [Gordon@mssecureshred.com](mailto:Gordon@mssecureshred.com)  
Tel: 1-510-252-1366  
Fax: 1-510-252-9320

---

**Marquis Business Systems, L.L.C.**

700 Route 46 West, Suite 6  
Clifton, NJ 07013  
URL: [www.kobrashredders.com](http://www.kobrashredders.com)

Matt Arki, President

E-mail: [Info@KobraShredders.com](mailto:Info@KobraShredders.com)  
Tel: 1-973-340-3111  
Fax: 1-973-340-3770

---

**New Market Enterprises, Ltd.**

**dba Dynamo Shredders**  
392 Harbor Ridge Dr.  
Palm Harbor, FL 34683-1426  
URL: [www.DynamoShredders.com](http://www.DynamoShredders.com)  
GSA Contract #: **GS-02F-0191P**

James J. Mokhiber, CEO

E-mail: [jmokhiber@newmarketLtd.net](mailto:jmokhiber@newmarketLtd.net)  
E-mail: [government@DynamoShredders.com](mailto:government@DynamoShredders.com)  
E-mail: [eficca@DynamoShredders.com](mailto:eficca@DynamoShredders.com)  
E-mail: [jomahony@newmarketLtd.net](mailto:jomahony@newmarketLtd.net)  
Tel: 1-484-341-8004, Fax: 1-484-872-0089

---

**Olympia Business Systems, Inc.**  
251 Wedcor Avenue  
Wabash, IN 46992  
URL: [www.martinyaleGSA.com](http://www.martinyaleGSA.com)  
GSA Contract#: **GS-25F-0023L**

Alex Castro, GSA Coordinator  
E-mail: [alex.castro@intimus.com](mailto:alex.castro@intimus.com)  
Tel: 1-800-775-2122, ext. 310  
Fax: 1-844-563-7720

---

**ProSource Packaging, Inc.**  
14911 Stuebner Airline Road, Suite A  
Houston, TX 77069-2122  
URL: [www.machine-solution.com](http://www.machine-solution.com)  
URL: <http://gsa.machine-solution.com/>  
GSA Contract #: **GS-02F-0179S**

Paul Baumgarten, Vice President Sales  
Gilbert Baumgarten-Arias, IT Specialist  
E-mail: [paul@machine-solution.com](mailto:paul@machine-solution.com)  
Tel: 1-281-453-8801  
Tel: 1-800-203-0233  
Fax: 1-281-453-8806

---

**Security Engineered Machinery, Inc. (SEM)**  
5 Walkup Drive  
Westboro, MA 01581  
URL: [www.semshred.com](http://www.semshred.com)  
GSA Contract#: **GS-02F-0111P**

Terry Creek, Vice President Government Sales  
E-mail: [t.creek@semshred.com](mailto:t.creek@semshred.com)  
Tel: 1-800-225-9293  
Fax: 1-508-836-4154

---

**Staples Technology Solutions**  
7021 Dorsey Road  
Hanover, MD 21076

David Girod, Senior Account Manager  
E-mail: [David.Girod@staples.com](mailto:David.Girod@staples.com)  
Tel: 1-410-567-2733  
Fax: 1-410567-2765

---

**Whitaker Brothers Business Machines, Inc.**  
3 Taft Court  
Rockville, MD 20850  
URL: [www.whitakerbrothers.com](http://www.whitakerbrothers.com)  
GSA Contract #: **GS-02F-0110P**

Joe Mitchell, President  
Lauren Rossi, Vice President of Government Sales  
E-mail: [gsa@whitakerbrothers.com](mailto:gsa@whitakerbrothers.com)  
Tel: 1-800-243-9226/1-301-354-3000  
Fax: 1-301-354-3003

---